

# Some Cases Of GEP NET With Liver Metastases

Dr Donald Poon Raffles Cancer Centre, Singapore ESMO Preceptorship on GI NETs 2-3 Nov 2012



### Indolent Liver Metastases... think NET

- Head of pancreas tumor endoscopic ultrasound-guided (EUS) biopsy report:
  - Invasive moderately differentiated adenocarcinoma
  - Slow progression of disease for about 2 years

9 Nov 2005






3 Oct 2007



### **Review Of Diagnosis**

European Society for Medical Oncology

- Biopsy of liver metastasis:
  - Metastatic neuroendocrine tumor of possible pancreatic origin.
  - CDX2, synaptophysin positivity
  - Low mitotic proliferative index




11/6/2012



#### **The Janus Phenomenon of NET**

European Society for Medical Oncology

- A switch from non-functional to a functional tumor
  - Features of an insulinoma






#### **The Janus Phenomenon of NET**

European Society for Medical Oncology

- A switch from non-functional to a functional tumor
  - Serotonin secretion

5-OH Indole Acetic Acid (umol/l), urine	522	[UMOL/L]
24-hour Urine Volume	1000	[700-2000 ML]
5-HIAA, 24 Hr	522 🛉	[3.5-41.0 UMOL/DAY]






## **Anecdotal Caveats In NET**

European Society for Medical Oncology

#### Urine 5HIAA is not elevated all the time in "carcinoid" syndrome.

- Chromogranin A serum
  >600 ug/L (0-100 ug/L)
- 24H urine 5HIAA
   12.6 (3.5-41 umol/day)
- Pancreatic polypeptide - 355 (<500 ng/L)








#### **Anecdotal Caveats In NET**

European Society for Medical Oncology

#### Calcium infusion induced carcinoid / VIPoma crisis



11/6/2012




### Carcinoid Syndrome In Absence Of Liver Metastases

- The presence of liver metastases was classically taught to be de rigueur when carcinoid syndrome is evident. Serotonin metabolised during first pass effect in liver would not result in carcinoid syndrome systemically.
- Caveat 1: Tumor gaining access to systemic circulation bypassing portal venous drainage.
  - NET arising from ovarian teratoma
  - Bowel NET invading ovaries by contiguous tumor extension
  - Metastases to ovaries
- Caveat 2: Occult liver / systemic metastases not discernible on conventional CT / MR / PET scans even using somatostatin receptor analogue-linked radiotracers.



#### Meaningful Liver-Directed Therapeutic Advances







Dec 2005



#### Meaningful NET Therapeutic & Diagnostic Advances








Contrast-Enhanced CT

Ga-68 DOTA-TATE PET/CT

Lu-177 DOTA-TATE PRRT SPECT/CT

#### First Patient Lu-177 PRRT





#### Thank you

